CLEANFLEX® CBS, CBT & CBV-Series CLEANING BRUSHES

Along with the Biopsy Forceps a comprehensive range of cleaning brushes is available.

Each end of the spiral features an enhanced flexibility to let the brush move more easily within the working channel and to protect the latter from

They are reusable and sterilizable, and available with single brushed end (10 or 20 mm long) and finger ring, or twin brushed ends (one each length). CBV-Series is intended for cleaning of endoscopes valve ports.

SINGLE BRUSH

Order no.	Length (cm)	Diameter (mm)
CBS.R. •••.10.2	230 - 400	2,0
CBS.R. •••.20.2	230 - 400	2,0
CBS.R. •••.10.3	230 - 400	3,0
CBS.R. •••.20.3	230 - 400	3,0
CBS.R. •••.10.4	230 - 400	4,0
CBS.R. •••.20.4	230 - 400	4,0

TWIN BRUSH

Order no.	Length (cm)	Diameter (mm)
CBT.R. •••.20.10.2	230 - 400	2,0
CBT.R. •••.20.10.3	230 - 400	3,0
CBT.R. •••.20.10.4	230 - 400	4,0

VALVE PORTS BRUSH

Order no.	Length (cm)	Diameter (mm)
CBV.R.10		10



Everything under one roof. In Italy.

The **carniamed** range of flexible devices for endoscopes is now available worldwide.

With our extensive experience as Contract Manufacturers of micro-components for implantology and our highly-skilled workforce, we are able to manage the entire production cycle from design concept to packaging and so supply our customers with reliable high quality devices at very competitive prices.

These devices as as well as additional product ranges are available for the Human sector too.











Assembling

Packaging

Authorized Distributor

Manufacturer

Carniaflex Srl • Via Nazionale 8 • 1-33026 Paluzza • Udine • Italy • Tel. 0039 0433 775164 • Fax 0039 0433 775856 mail@carniamed.com • www.carniamed.com



ISO 9001 ISO 13485



CE marking is intended for the finished product.





BITEFLEX®

SP-Series & S-Series **BIOPSY FORCEPS**

RETRIFLEX®

SP-Series & S-Series **FOREIGN BODY RETRIEVERS**

CLEANFLEX®

CBS, CBT & CBV-Series **CLEANING BRUSHES**

carniamed (III)

Reusable Accessories

For Flexible Endoscopes

BITEFLEX® BIOPSY FORCEPS RETRIFLEX® FOREIGN BODY RETRIEVERS

BITEFLEX® SP-Series Biopsy Forceps and RETRIFLEX® SP-Series Foreign Body Retrievers are the result of a long R&D co-operation between Carniaflex and end users. Each single component is designed, manufactured and assembled in-house. They are availa-Cups are made from steel bars by hi-tech ble in a wide range of shapes, lengths and sizes to suit all usual endoscopy procedures such as broncoscopy, gastroscopy and colonscopy. machines on our original drawings, gra-They are made of high quality stainless steel and plastic resins which are specifically engineered for medical applications. spers of Nitinol wire. The S-Series offer the same performances yet they are supplied with both finger ring and finger slide made of stainless steel. The finger slide is ergonomically shaped to fit everybody's fingers for simpler and more comfortable use. Each length group (100-120/160-180/230-300-400 cm) is identified by a different colour so assisting the user to choose for the right device. The length, the diameter and the production lot of the instrument, as well as any other product information available, are printed on the white reinforcement sleeve. An additional clear sleeve will protect the wording during cleaning procedures. E 1500 BR SP.OF 160.2 The elliptical finger ring rotates on its axis and allows better fitting and increased comfort. Its reduced weight enhances the handle balance. The table printed on the handle shows the length between each marker and the tip. Choose for the proper length marker in accordance with the endoscope in use for safest use. The distal part of the spiral (about 20 The user can rotate the spiral for a better cm) is grind-smoothed for easier cleaning orientation of the cups. Upon request, the and safer use within the working chancups-shaped products without needle nel. Its reduced stiffness also gives the can tilt sideways. user extra sensitivity for special applications such as in pedriatics. These devices are reusable. They are sealed in NOT Sterile envelopes into Class 10.000 Clean Room, then individually packed into cardboard boxes, ready to be sterilized. They can be steri-The spiral shows length markers for faster lized by either steam or ETO gas. use while allowing the tip to approach and exit the distal end of the endoscope

BITEFLEX® Biopsy Forceps are for use in medical procedures to obtain mucosal tissue samples via endoscopy for clinical examination. The stainless steel used for the cups has been hardened to produce a durable cutting edge. The cups are fenestrated to contain larger tissue samples. They come protected by a silicone cap.

RETRIFLEX® Foreign Body Retrievers will be used to remove foreign bodies of any shape and size from the human body. They can also be used for the removal of polyps. The distal grasping components are made of materials featuring long-lasting elastic properties.

Such features, along with a very smooth parts movement resulting from our high-precision assembling process, deliver a product which is much easier and safer to use. Highly-resistant materials and low-maintenance needs make them very cost-effective too.

Each device will fit to the endoscope working channel which will size at least 0.2 mm more than the diameter of the instrument itself.

Features & Benefits

- In-house product design, manufacturing and assembling
- High quality raw materials
- Great precision in manufacturing and assembling of components
- Rotation of cups for better orientation
- Also available with tilting cups
- Grind-smoothed distal part of the spiral
- Length markers on spiral plus lengths table on handle
- Ergonomically shaped finger slide
- First quality packaging under Class 10.000 Clean room procedures
- Reusable & sterilizable Steam and ETO
- In accordance with ISO 13485 and CE marked
- 2 years warranty from material and manufacturing defects

These devices are compatible with all the most popular brands of endoscopes currently available in the market. Before use please carefully check compatibility or contact your local Distributor for further assistance.

Order numbers are made up of letters and numbers as per the example below, and are to be completed by replacing the dots with either length or diameter. Cups models without needle can tilt, add an **Y** to the order number to order them.


BITEFLEX® order numbers

В.	R . SP .	01	F .	Υ	. 12	0 . 18
Biopsy forceps	Handle S steel - P plastic			Tilting		Diameter in mm/10
Reus	able	Cups	S		Length	in cm

RETRIFLEX® order numbers

BR.	R . SP .	A C	. Y . 1:	20 . 18
Foreign body retriever	Handle S steel - P plastic		Tilting	Diameter in mm/10
Reus	sable	Distal	Length	in cm


CLEANFLEX® order numbers



BITEFLEX® BIOPSY FORCEPS


OVAL FENESTRATED CUPS •

Order no.	Length (cm)	Diameter (mm)	Opening span (mm)
B.R.SP.OF.100. ••	100	1,0 - 1,6 - 1,8 - 2,1 - 2,3	2,9 - 4,4-4,9 - 5,7 - 6,1
B.R.SP.OF.120. ••	120	1,0 - 1,6 - 1,8 - 2,1 - 2,3 - 2,5	2,9 - 4,4 - 4,9 - 5,7 - 6,1 - 7,1
B.R.SP.OF.160. ••	160	1,6 - 1,8 - 2,1 - 2,3 - 2,5 - 2,8	4,4 - 4,9 - 5,7 - 6,1 - <i>7,7 - 7,7</i>
B.R.SP.OF.180. ••	180	1,0 - 1,6 -1,8 - 2,1 - 2,3 - 2,5 - 2,8 - 3,4	2,9 - 4,4 - 4,9 - 5,7 - 6,1 - 7,7 - 7,7 - 8,9
B.R.SP.OF.230. ••	230	1,6 - 1,8 - 2,1 - 2,3 - 2,5 - 2,8 - 3,4	<i>4,4 - 4,9 - 5,7 -</i> 6,1 <i>- 7,7 - 7,7 -</i> 8,9
B.R.SP.OF.300. ••	300	2,5 - 2,8 - 3,4	7,7 - 7,7 - 8,9
B.R.SP.OF.400. ••	400	2,5 - 2,8 - 3,4	7,7 - 7,7 - 8,9




OVAL FENESTRATED CUPS WITH NEEDLE •

Order no.	Length (cm)	Diameter (mm)	Opening span (mm)
B.R.SP.OF.N.100	.•• 100	1,6 - 1,8 - 2,1 - 2,3	4,4 - 4,9 - 5,7 - 6,1
B.R.SP.OF.N.120). •• 120	1,6 - 1,8 - 2,1 - 2,3 - 2,5	4,4 - 4,9 - 5,7 - 6,1 - 7,1
B.R.SP.OF.N.160). ••	1,6 - 1,8 - 2,1 - 2,3 - 2,5 - 2,8	<i>4,4 - 4,9 - 5,7 -</i> 6,1 <i>- 7,</i> 1 <i>- 7,7</i>
B.R.SP.OF.N.180). •• 180	1,6 - 1,8 - 2,1 - 2,3 - 2,5 - 2,8 - 3,4	4,4 - 4,9 - 5,7 - 6,1 - 7,1 - 7,7 - 8,9
B.R.SP.OF.N.230	230	1,6 - 1,8 - 2,1 - 2,3 - 2,5 - 2,8 - 3,4	4,4 - 4,9 - 5,7 - 6,1 - 7,1 - 7,7 - 8,9
B.R.SP.OF.N.300). •• 300	2,5 - 2,8 - 3,4	7,1 - 7,7 - 8,9
B.R.SP.OF.N.400	.•• 400	2,5 - 2,8 - 3,4	<i>7</i> ,1 - <i>7,7</i> - 8,9




OVAL FENESTRATED TOOTHED CUPS WITH NEEDLE •

Order no.	Length (cm)	Diameter (mm)	Opening span (mm)
B.R.SP.OF.TN.100. ••	100	1,8 - 2,1 - 2,3	4,6 - 5,7 - 5,8
B.R.SP.OF.TN.120. ••	120	1,8 - 2,1 - 2,3 - 2,5	4,6 - 5,7 - 5,8 - 7,0
B.R.SP.OF.TN.160. ••	160	1,8 - 2,1 - 2,3 - 2,5	4,6 - 5,7 - 5,8 - 7,0
B.R.SP.OF.TN.180. ••	180	1,8 - 2,1 - 2,3 - 2,5	4,6 - 5,7 - 5,8 - 7,0
B.R.SP.OF.TN.230. ••	230	1,8 - 2,1 - 2,3 - 2,5	4,6 - 5,7 - 5,8 - 7,0
B.R.SP.OF.TN.300. ••	300	2,5	7,0
B.R.SP.OF.TN.400. ••	400	2,5	7,0




OVAL FENESTRATED TILTING CUPS WITH RAT TOOTH •

Order no.	Length (cm)	Diameter (mm)	Opening span (mm)
B.R.SP.OF.RT.100.23	100	2,3	6,0
B.R.SP.OF.RT.120.23	120	2,3	6,0
B.R.SP.OF.RT.160.23	160	2,3	6,0
B.R.SP.OF.RT.180.23	180	2,3	6,0
B.R.SP.OF.RT.230.23	230	2,3	6,0
B.R.SP.OF.RT.300.23	300	2,3	6,0
B.R.SP.OF.RT.400.23	400	2,3	6,0




ROUND FENESTRATED CUPS •

Order no.	Length (cm)	Diameter (mm)	Opening span (mm)
B.R.SP.CF.100. ••	100	1,8 - 2,3	4,9 - 6,4
B.R.SP.CF.120. ••	120	1,8 - 2,3	4,9 - 6,4
B.R.SP.CF.160. ••	160	1,8 - 2,3	4,9 - 6,4
B.R.SP.CF.180. ••	180	1,8 - 2,3	4,9 - 6,4
B.R.SP.CF.230. ••	230	1,8 - 2,3	4,9 - 6,4




RETRIFLEX® FOREIGN BODY RETRIEVERS

RAT TOOTH • Order no. Length (cm) Diameter (mm) Opening span (mm) BR.R.SP.RT.100. •• BR.R.SP.RT.120. •• 120 1,8 - 2,3 - 2,5 4,6 - 5,8 - 6,4 BR.R.SP.RT.160. •• 1,8 - 2,3 - 2,5 4,6 - 5,8 - 6,4 BR.R.SP.RT.180. •• 180 1,8 - 2,3 - 2,5 4,6 - 5,8 - 6,4 BR.R.SP.RT.230. •• 1,8 - 2,3 - 2,5 4,6 - 5,8 - 6,4 BR.R.SP.RT.300. •• 300 2,3 - 2,5 5,8 - 6,4 BR.R.SP.RT.400. •• 2,5 6,4




ALLIGATOR •

Order no.	Length (cm)	Diameter (mm)	Opening span (mm)
BR.R.SP.A.100. ••	100	1,8 - 2,3	5,7 - 7,3
BR.R.SP.A.120. ••	120	1,8 - 2,3 - 2,5	5,7 - 7,3 - 7,9
BR.R.SP.A.160. ••	160	1,8 - 2,3 - 2,5	5,7 - 7,3 - 7,9
BR.R.SP.A.180. ••	180	1,8 - 2,3 - 2,5	5,7 - 7,3 - 7,9
BR.R.SP.A.230. ••	230	1,8 - 2,3 - 2,5	5,7 - 7,3 - 7,9
BR.R.SP.A.300. ••	300	2,3 - 2,5	7,3 - 7,9
BR.R.SP.A.400. ••	400	2,5	7,9



ALLIGATOR CROCODILE •


Order no.	Length (cm)	Diameter (mm)	Opening span (mm)
BR.R.SP.AC.100. ••	100	1,8 - 2,3	4,7 - 6,1
BR.R.SP.AC.120. ••	120	1,8 - 2,3 - 2,5	4,7 - 6,1 - 6,6
BR.R.SP.AC.160. ••	160	1,8 - 2,3 - 2,5	4,7 - 6,1 - 6,6
BR.R.SP.AC.180. ••	180	1,8 - 2,3 - 2,5	4,7 - 6,1 - 6,6
BR.R.SP.AC.230. ••	230	1,8 - 2,3 - 2,5	4,7 - 6,1 - 6,6
BR.R.SP.AC.300. ••	300	2,3 - 2,5	6,1 - 6,6
BR.R.SP.AC.400. ••	400	2,5	6,6



HELICOIDAL BASKETS •

6-wire


o-wire			
Order no.	Length (cm)	Diameter (mm)	Opening span (mm)
BR.R.SP.6W1. •••.18	120 - 180 - 230	1,8	15
BR.R.SP.6W1. •••.23	180 - 230 - 300 - 400	2,3	15
BR.R.SP.6W2. •••.18	120 - 180 - 230	1,8	25
BR.R.SP.6W2. •••.23	180 - 230 - 300 - 400	2,3	25
BR.R.SP.6W3. •••.18	120 - 180 - 230	1,8	35
BR.R.SP.6W3. •••.23	180 - 230 - 300 - 400	2,3	35



GRASPERS •—

4-sprong with hooks

Order no.	Length (cm)	Diameter (mm)	Opening span (mm)
BR.R.SP.4H. •••.23	120 - 160 - 180 - 230 - 300 - 400	2,3	23
BR.R.SP.4H. •••.25	120 - 160 - 180 - 230 - 300 - 400	2,5	23
4-sprong with eyelets			



4-sprong with eyelets	
-----------------------	--

4-sprong with eyelets			
Order no.	Length (cm)	Diameter (mm)	Opening span (mm)
BR.R.SP.4E. •••.23	120 - 160 - 180 - 230 - 300 - 400	2,3	23
BR.R.SP.4E. •••.25	120 - 160 - 180 - 230 - 300 - 400	2.5	23